

Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11)

**EP 0 753 957 B1**

(12)

**EUROPEAN PATENT SPECIFICATION**

(45) Date of publication and mention  
of the grant of the patent:  
**04.01.2006 Bulletin 2006/01**

(51) Int Cl.:  
**H04M 15/00 (2006.01) H04Q 7/22 (2006.01)**

(21) Application number: **96850117.1**

(22) Date of filing: **25.06.1996**

(54) **Billing device for messages in telecommunication networks**

Nachrichtengebührenvorrichtung in Fernmeldnetzen

Dispositif de facturation des messages dans les réseaux de télécommunications

(84) Designated Contracting States:  
**CH DE DK ES FR GB IT LI NL**

(30) Priority: **10.07.1995 SE 9502533**

(43) Date of publication of application:  
**15.01.1997 Bulletin 1997/03**

(73) Proprietor: **TELIA AB**  
**123 86 Farsta (SE)**

(72) Inventor: **Hallqvist, Per**  
**194 35 Upplands Väsby (SE)**

(74) Representative: **Hopfgarten, Nils et al**  
**Groth & Co.KB**  
**P.O. Box 6107**  
**102 32 Stockholm (SE)**

(56) References cited:  
**EP-A- 0 538 933 US-A- 5 351 235**

- **HOLLEY K: "THE GSM SHORT MESSAGE SERVICE" 30 January 1991, IEE COLLOQUIUM ON GSM AND PCN ENHANCED MOBILE SERVICES, PAGE(S) 7/1 - 7/05 XP002046603 \* page 2, line 10 - line 21 \* \* page 5, line 1 - line 4 \***
- **COLLESEISET AL: "SHORT MESSAGE SERVICE BASED APPLICATIONS IN THE GSM NETWORK" 18 September 1994, IEEE INTERNATIONAL SYMPOSIUM ON PERSONAL, INDOOR AND MOBILE RADIO COMMUNICATIONS, VOL. 3, PAGE(S) 939 - 943 XP000612265 \* page 941, left-hand column, line 15 - line 20 \* \* page 942, right-hand column, line 15 - line 35 \***

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

**EP 0 753 957 B1**

## Description

### TECHNICAL FIELD

**[0001]** The present invention relates to a communication system comprising first equipments arranged for audio communication in a first subsystem, the first subsystem debiting the first equipments corresponding to the communication from them, and second equipments arranged for exchange of text information in a second subsystem without being debited by the second subsystem, a connection means for, on a connection request, selectively connecting the first equipments in the first subsystem and the second equipments in the second subsystem.

### PRIOR ART

**[0002]** EP 538 933 discloses a radiopager into which a card can be inserted to load into the receiver data relating to its operation. The card stores a radio identity code together with credit information. Prepaid credit units are debited in accordance with the usage of the radiopager.

**[0003]** Telecommunication in the telecommunication networks of today are to an ever larger extent performed within and between different networks. Accordingly information interchange is made between different telecommunication networks for mainly verbal communication between different countries and between different operators within one and the same country. Further, the variety of local networks is growing, for instance Internet, where information interchange is made between computers or similar terminals in the network. The information interchange between the terminals in the local network is made with text information. Connections between local networks and public networks are made to an ever growing extent. In the public networks a debiting is made in connection with the information interchange. In the local networks there are normally no debiting for the use of the network.

**[0004]** Electronic mail (E-mail) has become a more and more spread phenomenon in the telecommunication systems of to-day where in principle all newspapers, news programs, companies are connected to Internet. E-mail to and from GSM-telephones are to some extent already technically prepared by an SMS-Internet connection being offered in the message center. SMS means Short Message Service and is a function which makes it possible on one hand to receive text messages from GSM-telephone, which text is shown on the display, and on the other to write a text message on the telephone which is transmitted over the network. The message center can be described as an exchange through which all SMS-messages are passing. An SMS-message can, if the subscriber wants, be changed over to fax, E-mail etc, depending on the existing functionality in the message center.

### DESCRIPTION OF THE INVENTION

#### TECHNICAL PROBLEM

**[0005]** In connection with transmission of E-mail from Internet to SMS a debiting shall be made. How this shall be performed is however not solved. In connection with this the following problem can be identified.

- Internet, the local network (and by that the service E-mail) has no system for debiting.
- The user address of an E-mail is not a safe identification. A person with for instance good knowledge of UNIX can today in most UNIX-environments transmit mail and himself/herself choose and use user address inclusive domain without root authorization.
- Even if the identification was safe, the debiting procedure would be complicated.
- E-mail may always be supposed to be tapped as it is passing a number of computer nodes, the system operators of which have possibility to tap the information.

**[0006]** The other possibility is that the GSM-subscriber is always debited for received mails, irrespective of if he is sender or receiver. This solution is however not attractive because the receiver can be heavily debited for messages which are sent to him without the receiver requiring to get the messages. Examples of such messages are advertising offers and the like, which in such a system could be transmitted without restraint, because the advertiser in this case need not pay anything.

**[0007]** The present invention intends to give solution for the mentioned problems.

## THE SOLUTION

**[0008]** The solution according to the invention is obtained by a telecommunication system according to claim 1.

**[0009]** The present invention thus relates to a communication system in which system first and second equipments are connected. The first equipments are in the main intended for verbal communication and the second equipments for text information. The first equipments are mainly intended for information interchange between themselves, and the second equipments for information interchange between themselves. The first equipments are however arranged for restricted information interchange of text. The text is created respectively shown on a display with restricted space for information interchange. The communication system is further equipped with system for debiting of communication, arranged from the first equipments. Debiting is on the other hand not made for information interchange between second equipments. In the case information interchange shall be performed from the second equipment to the first equipments, the second equipment shall however in one way or another be debited for the communication. In the communication system a payment register is arranged for users of the equipments in the communication system. The users in the first communication system are arranged to, on payment, get a, corresponding to the payment, number of charging intervals. The charging intervals are entered on the user, who is using the charging intervals at transmission of text information from the second equipments to the first equipments. The communication system further takes out the charging intervals depending on the user's use of the communication system, and that the user is refused information interchange if registered charging intervals are lacking.

**[0010]** In further development of the invention the charging intervals are called stamps and are arranged to be used by the user at the use of the first or second equipments. At purchase of the stamps the user is arranged to receive an individual code for the taking out of stamps. The user is further allowed to use the stamps in connection with the use of certain appointed equipment/equipments. In further development of the invention the user is allowed to use the stamps or certain appointed stamps at communication with an appointed extension/equipment.

**[0011]** In further development of the invention a user of the first equipments is in connection with communication with any of the other equipments arranged to allot the receiver one or more stamps intended to be used by the receiver in connection with transmission of reply message to the sender. The communication system is further arranged to comprise a public telecommunication network to which the first equipments are connected, and a local network, for instance Internet, to which the second equipments are connected. The payment register is connected to or in the local network. The payment register is further arranged between the public network and the local network.

The payment register is further arranged to be a part of a message register which is arranged between the public network and the local network. In or in connection to the public network a text managing function is arranged to manage text information to/from the first equipments. The public network consists of a mobile telecommunication system which for instance can be digital of GSM-type. A text managing function is further connected to or in the public network for managing of text information to/from the first equipments. In the payment register is further allowed for instance stamp allotted numbers, date of issue, to whom it is issued, and time of validity etc. In connection with that the user receives the stamps, a key is received for each stamp. The key is intended to be used by the user at the taking out of the stamp/stamps. The first equipments are further equipped with for instance display for showing respective creating of messages. The display allows that the messages have a restricted scope. Stamps which are not used within defined time are declared used up by the system and repayment corresponding to parts or the whole of the value of the stamp is made to the one who has ordered the issue of the mentioned stamps.

## ADVANTAGES

**[0012]** The present invention allows that any who uses a local network, for instance Internet, can communicate with equipments in a public network and that debiting then can be performed in a clear-cut way. The invention further allows that a simple procedure is achieved for paying of communications in different types of networks which normally are not equipped with debiting systems connected to each other. The introduction of means of payment, stamps, which are stored in a message center and which are earmarked for certain user/users, to a great extent facilitates the possibility of debiting. The possibility to, from a public network, purchase the mentioned stamps, to a high degree facilitates the users possibility to use different networks connected to a public network.

## DESCRIPTION OF FIGURES

**[0013]**

Figure 1 shows the traditional interconnection of a local network, A, and a public network, B, via a connection, 1.

Figure 2 shows corresponding system where a message center, C, is introduced in the local network, A.

Figure 3 shows how the message center, C, is introduced in the connection, 1, the local network, A, and the public network, B.

Figure 4 shows how a message center, C, is built-in in the local network, A, at the same time as an SMS-function, D, is built-in in the public network, B.

Figure 5 shows how the message center, C, and SMS, D, are arranged on the connection between the local network, A, and the public network, B.

Figure 6 shows the same as Figure 5, but where the connection of users in the local network and the public network has been indicated.

Figure 7 shows more in detail the different function units in the message center which are of importance for the invention.

Figure 8 shows the public network, B, and how SMS, K, and the traffic channel, L, are included in a public network, for instance a GSM-network.

Figure 9 shows a possible table for how stamps can be administered according to the invention.

#### DETAILED EMBODIMENT

**[0014]** In the following the invention is described on the basis of the figures and the terms therein.

**[0015]** In the following the invention is described on the basis of a system according to Figure 1, where a local network, A, is connected via a connection, 1, with a public network, B. The public network can in itself be just any public network. In the public network is performed call charging for established connections between users in the system. In the local network no call charging is made for used connection at communication between terminals. A user in the local network can via the connection 1 establish contact with subscribers in the public network, B. At such a connection charging functions are consequently lacking towards the user in the local network. An introduction of debiting system in the public network, B, in connection with that users in the local network, A, connect themselves to the public network implies difficulties in that the users in the local networks are not clear-cut identified. Risk accordingly exists in these cases that wrong debiting is obtained.

**[0016]** In connection with message transmission between users in the local network and the public network information is transmitted and stored via a message center, C, where the information can be stored, as is illustrated in Figures 2 and 3. In the public network there is further a system, D, called SMS (Short Message Service) arranged in the system. By means of SMS, subscribers in the public network can create and receive short text messages on subscriber equipments which are intended for this purpose. SMS, D, is connectable in the public network, B, according to Figure 4, or on the connection between the local network and the public network according to Figure 5. At message transmission between the network, the message center, C, and SMS, D, accordingly manages the information interchange between themselves, and the transmission of information to/from respective users and subscribers.

**[0017]** A subscriber uses a subscriber equipment, Subscr. in Figure 6, and is connected to a public network, B. The subscriber gets stamps by connecting himself/herself to the message center, C. The subscriber equipment is clear-cut identified in the public network by its allotted subscriber number. The connection to the message center can in itself be made in different ways, for instance direct or via SMS-function. At connection via SMS the SMS-message is received from the subscriber and transferred in the form of one for the local network receivable information. The subscriber in this case states the number of stamps which shall be purchased, at which the stamps are allotted different stamp numbers; further are noted date of issue and to whom the stamp is issued, further is noted time of validity and other information. The information is after that forwarded to an appointed user in the local network. The user obtains information about the allocation of the mentioned stamps and which stamp numbers that have been obtained. The user after that has possibility to use the stamps for transmission of messages from the local network to the public network. In connection with the transmission the user states the number of the stamp to be used. The message center identifies the stamp and examines whether this is valid. If the stamp is not valid, the mentioned communication is refused. Is the stamp however approved of, the message is forwarded to subscriber in the public network.

**[0018]** Stamps which are not taken out within the indicated validity time are removed from the system at the indicated point of time.

**[0019]** The payment for the stamps can in itself be made in different ways and at different points of time. It is consequently possible to take out remuneration for the stamps in connection with the order. In other variants it can be advantageous to charge in connection with the use of the stamps. In both cases the subscriber in the public network is debited.

**[0020]** Another variant of allocation of stamps is that subscriber in the public network, B, in connection with a message to a user in the local network makes the message center allot the receiver a reply stamp at the sender's expense. Reply stamps can in this case only be used for transmission of answer messages to the issuing subscriber. The validity of the stamps for different purposes can consequently be broadly varied by the validity for the stamps being allotted one or more receivers in the local network, and the mentioned stamps being used for answer only to certain appointed subscribers in the public network, or to groups respective to just any subscriber in the public network. The invention consequently allows a broad use.

**[0021]** It is further also possible to charge a certain cost in connection with the ordering of the stamps and the rest of the fee in connection with the use of the mentioned stamps. In Figure 7 is shown the managing in more details. In this case an encryption equipment, E, is arranged between the local network A and an equipment F for translation/change between SMS and the local network and vice versa. The encryption function, E, is not necessary. From the equipment, F, for change/translation between SMS and the local network a stamp register, H, is connected. In the stamp register is stored registered purchases of stamps. To the stamp register can further direct connections exist from sale centers I which sell stamps to those who want access to these for communication from the local network to the public network. The subscribers then obtain for instance a diskette with wanted number of stamps at the same time as registering is made in the stamp register.

**[0022]** The stamps, in the following called stamps respective E-stamps, have the following functions. E-stamps are an extension and improvement of the idea with "supplied answer path" which is prepared in the GSM-recommendations. Here the description is divided into two parts, "reply" and the more general solution "general stamp".

**[0023]** In the following description are used the concepts Internet user, which relates to the user who via his/her personal computer is connected to Internet, local network and the GSM-subscriber, the subscriber in the public network which has contact with Internet via SMS.

**[0024]** When GSM-subscriber sends an E-mail to a subscriber connected to Internet, the GSM-subscriber is debited in normal way for his/her SMS-message. The charge can for instance be half of that for an SMS-communication between subscribers, mobiles in the public network, because there are only use in one direction. If the subscriber chooses "supplied answer path" the customer is debited full SMS-charge, and received mail can look as follows.

Example of mail:

Example of mail:

From: gsm0705123456@tg.se  
To: user@hk.mobitel.telia.se  
Subject: SMS-message.

**[0025]** The text here is the SMS-message itself which in the GSM-case has the length of 160 characters.

**[0026]** This mail is sent from a Telia GSM-connected mobile telephone. You can free of charge make a reply to this message containing max. 160 characters. The message shall be written in the subject field and the following line must be included somewhere in the message.

**[0027]** ESTAMP: dje8ef458HREh54Kr45KJ54RFR5746 VAL: 9506713 to: gsm 0705123456

**[0028]** End of example.

**[0029]** The message contains beside customary header:

- the text itself which is transmitted via SMS.
- a standard explanation which describes to the receiver how for instance Telia's, E-mail service operates.
- A stamp, so called E-stamp.

**[0030]** The receiver can now make a reply, answer, on the mail and this will be returned to the GSM-subscriber if the answer is written before the validity date which is indicated after VAL on the E-stamp line (for instance 14 days).

**[0031]** If the stamp has not been used within this time the GSM-subscriber can be repayed for the costs for the stamp. The repayment can relate to the whole sum or parts thereof.

**[0032]** A more general method to use E-stamps is general stamp which requires some adjustment on the part of the local network connected user. This method can be used in parallel with the above described reply-method. The local network connected user purchases stamps from his GSM-telephone by transmitting an SMS to E-mail. The message can look as follows.

:X:10:QWERKY.

**[0033]** The receiver of the message shall be the Internet-user, local network user, who shall obtain the stamps. The

message is identified by the message center by :X:. The figure 9 indicates the wanted number of stamps which also will be debited on the sender's telephone invoice. The price for the order is decided by the operator in the public network. The subscriber then chooses a key to secure that only he himself can use the stamps (in this case QWERKY). This code/key shall be known to the receiver.

**[0034]** The received message is ASCII-encrypted. With ASCII-encrypted is here meant that the mail consists of ASCII-characters (large/small characters and digits) in an encrypted sequence which only can be encrypted with knowledge of the coded key. The mail server, C, which is placed locally at the Internet user, AN, realise that the mail contains stamps and these will be decrypted and extracted and saved on a local file. Stamps which have been decrypted have the same appearance as the E-stamp line in the description above.

**[0035]** Each stamp is saved in the mail server, and when mail shall be sent to GSM-subscriber, one of these stamps are enclosed, which after that is used up. The stamp itself, E-stamp, consists in this example of 30 ASCII-characters. Large/small characters plus 0 to 9 gives 62 symbols. These result in  $62^{30}$  unique stamps.

**[0036]** A random, not previously used number is automatically chosen by the message managing. This number is stored in a data base together with:

- date of validity, when the validity period is up the stamp is wiped out from the data base and the GSM- subscriber gets the payment back if the stamp is not used.
- the identity of the GSM-subscriber to make possible repayment; in the case with "reply stamps" also this identity is the only possible receiver of the mail.

**[0037]** "Reply stamps" are not encrypted. This to facilitate the managing if not special software is available on the Internet-user's side.

**[0038]** A "general stamp"-order is however more valuable because:

- the message contains more stamps.
- the stamps can be regarded as means of payment because they can be used towards any Telia GSM-subscriber.

**[0039]** The description of how the mail management is used practically is here based on a UNIX-environment, which is not a demand. Modern mail tools can of course manage this quite automatically.

**[0040]** An example of encryption algorithm is described later.

**[0041]** A program, stamp, need to be installed on the system. Each user as well puts the file .gsmkev in his root, which he should read- and write-protect from other users.

**[0042]** In this file the user can write an arbitrary number of keys, one per line. In our example the key QWERKY should consequently be included. When a stamp order arrives it is quite simply introduced in stamp: stamp < stampfile

**[0043]** Stamp will then check the code keys in the file .gsmkey one by one until a correct one is found. The mail is encrypted with a random frequency the seed of which is calculated from the keyword.

**[0044]** The program stamp will now add the received stamps in the file .gsmstamps which is also located in the users root.

**[0045]** A mail is to-day sent from UNIX/:

```
cat textfile | mail user@hk.mobitel.telia.se
```

if mail shall be sent to a GSM-subscribber instead used

```
cat textfile | stamp | mail gsm0705123456@tg.se
```

stamp will here divide the mail in part of 150 characters and transmits each part separately together with an extracted stamp from the file gsmstamps.

**[0046]** If a mail with key order ends up in a wrong place/is lost, there is no harm. A wrong receiver can not decrypt the stamps and not used stamps are not debited the customer.

**[0047]** The debiting can be made either at the ordering of the stamps or when they are used.

**[0048]** Companies can of course arrange a superimposed central stamp server which automatically stamps all from the company sent mails, or only those to a certain number given telephones.

**[0049]** There are several different ways of encrypting data. How this shall be performed is not comprised in this description. On example of a possible principle is however given:

suppose that the key word is: kalas

letter:	K	A	L	A	S
number:	10	0	11	0	18
weight	1	1E2	1E4	1E6	1E8

- the characters are translated into figures according to the principle A=0, B=1, etc.
- each character is multiplied with a weight according to the table above.
- the code key is calculated as the scale product of numbers and the weight lines.

[0050] Code Key=1800110010

[0051] Most programming languages offers a random number generator with varying quality and frequency spectrum. How such an algorithm is looking is not described here. In common for all elementary algorithms are however that they must be initiated by a seed. For a given seed is always obtained exactly the same sequence of output data, where the values are random in relation to each other.

[0052] The idea is now that the code key is used as seed to both the encoder and the decoder and therefore generates exactly the same code sequence. Suppose that we want to encrypt the word E-mail.

character	E	M	A	I	L
number	4	12	0	8	11
random	45	34	97	76	34
sum	49	46	97	84	45
rest	23	20	19	6	19
character	X	U	T	G	T

- the character is translated into a number according to the same principle as above.
- random is a random number sequence which is generated from the key.
- sum is the sum of the representation of each character and the random number sequence.
- rest is the rest from the division between the sum and 26 (which is the number of characters in the alphabet).
- this figure is translated back to characters at which the encrypted sequence is obtained.

[0053] It should be rather evident that this procedure is simply reversible to recreate the original message.

## Claims

1. A communication system comprising first equipments (subscr.) arranged for audio communication in a first subsystem (B), said first subsystem (B) debiting said first equipments corresponding to the communication from them, and second equipments (AN) arranged for exchange of text information in a second subsystem (A) without being debited by said second subsystem, a connection means (1) for, on a connection request, selectively connecting said first equipments in said first subsystem (B) and said second equipments in said second subsystem (A), **characterized in that** a charge interval issuing mechanism is provided to assign a number of charge intervals to said first and second equipments in exchange of a corresponding payment on behalf of at least one of said first and second equipments, said charge intervals having an attribute for individual assignment to a user, and **in that** a payment register (H) for users of the communication system is provided to associate a connection request with said number of charged intervals assigned to the equipments in question, and **in that** said first equipments are adapted to allot in connection with communication with one of said second equipments one or more stamps corresponding to charged intervals to said second equipment for use for transmission of a reply to the first equipment.

2. System according to claim 1,

**characterized in that** the charge intervals, called stamps, are arranged to be used by the user at the use of the first or second equipments.

3. System according to claim 1 or 2,  
**characterized in that** a user purchasing or receiving stamps is allowed an individual code for getting the stamps.
4. System according to any of the previous claims, **characterized in that** said stamps are adapted for use of only certain appointed equipment/equipments.
5. Device according to any of the previous patent claims, **characterized in that** said stamps, or certain appointed ones of said stamps, are adapted for communication with an appointed equipment/equipments.
6. System according to claim 1,  
**characterized in that** the first subsystem (B) is a public telecommunication network, to which the first equipments are connected, and the second subsystem (A) a local network, to which the second equipments are connected.
7. System according to claim 6,  
**characterized in that** the payment register (H) is connected to the local network (A).
8. Device according to claim 6 or 7,  
**characterized in that** the payment register (H) is arranged between the public telecommunication network (B) and the local network (A).
9. System according to any of the claims 6-8, **characterized in that** the payment register is arranged to be included in a message register which is arranged between the public telecommunication network and the local network.
10. System according to any of the previous claims, **characterized in that** in connection with the public telecommunication network (B) a text managing function (D) is arranged to manage text information to/from the first equipments.
11. System according to any of the previous claims, **characterized in that** the public telecommunication network consists of a mobile telecommunication system.
12. System according to claim 11,  
**characterized in that** the public telecommunication system consists of a digital mobile telephone network.
13. System according to claim 12,  
**characterized in that** the digital mobile telephone network consists of a GSM-network.
14. Device according to any of the previous claims, **characterized in that** the payment register (17) contains the number of the stamps, dates of issue, information about assignement for a certain person/function, and times of validity.
15. System according to any of the previous claims, **characterized in that** a key for each stamp is allowed a user when purchasing a stamp, which key is used by the user when utilizing the stamps.
16. System according to any of the previous claims, **characterized in that** the first equipments are equipped with displays on which messages can be created and received to a limited extent.
17. System according to any of the previous claims, **characterized in that** stamps which are not used are fully or partly repaid.

## Patentansprüche

1. Kommunikationssystem, des erste Ausrüstungen (subscr.), die für Audiokommunikation in einem ersten Untersystem (B) angeordnet sind, welches erste Untersystem (B) den ersten Ausrüstungen entsprechend der Kommunikation von denselben Rechnungen ausstellt, und zweite Ausrüstungen (AN), die für Austausch von Textinformation in einem zweiten Untersystem (A) ausgebildet sind, ohne dass ihnen durch das zweite Untersystem Rechnungen ausgestellt werden, Verbindungsmittel (1) aufweist, um bei einer Verbindungsanforderung selektiv die ersten Aus-



rüstungen in dem ersten Untersystem (B) und die zweiten Ausrüstungen in dem zweiten Untersystem (A) zu verbinden, **dadurch gekennzeichnet, dass** ein Mechanismus zum Ausstellen von Gebührenintervallen vorgesehen ist, um eine Anzahl von Gebührenintervallen den ersten und zweiten Ausrüstungen im Austausch gegen eine entsprechende Bezahlung im Auftrag von wenigstens einer der ersten und zweiten Ausrüstungen zuzuordnen, welche Gebührenintervalle ein Attribut für individuelle Zuordnung zu einem Benutzer haben, und dass ein Bezahlungsregister (H) für Benutzer des Kommunikationssystems vorgesehen ist, um eine verbindungsanforderung mit der Anzahl von in Rechnung gestellten Intervallen zu verknüpfen, die den fraglichen Ausrüstungen zugeordnet sind, und dass die ersten Ausrüstungen dazu ausgebildet sind, in Verbindung mit Kommunikation mit einer der zweiten Ausrüstungen eine oder mehrere Stempel oder Wertmarken, die den in Rechnung gestellten Intervallen entsprechen, der zweiten Ausrüstung für Verwendung für Übertragung einer Antwort zur ersten Ausrüstung zuzuteilen.

2. System nach Anspruch 1, **dadurch gekennzeichnet, dass** die Gebührenintervalle, Stempel oder Wertmarken genannt, dazu ausgebildet sind, durch den Benutzer bei Verwendung der ersten oder zweiten Ausrüstungen verwendet zu werden.
3. System nach Anspruch 1 oder 2, **dadurch gekennzeichnet, dass** einem Benutzer, der Stempel oder Wertmarken kauft oder empfängt, ein individueller Code zum Erhalten der Stempel oder Wertmarken zugeordnet wird.
4. System nach einem der vorangehenden Ansprüche, **dadurch gekennzeichnet, dass** die Stempel oder Wertmarken für Verwendung von nur einer gewissen festgesetzten Ausrüstung/nur gewissen festgesetzten Ausrüstungen ausgebildet sind.
5. System nach einem der vorangehenden Ansprüche, **dadurch gekennzeichnet, dass** die Stempel oder Wertmarken oder gewisse festgesetzte der Stempel oder Wertmarken für Kommunikation mit einer festgesetzten Ausrüstung/festgesetzten Ausrüstungen ausgebildet sind.
6. System nach Anspruch 1, **dadurch gekennzeichnet, dass** das erste Untersystem (B) ein öffentliches Telekommunikationsnetz ist, mit dem die ersten Ausrüstungen verbunden sind, und das zweite Untersystem (A) ein lokales Netz, mit denen die zweiten Ausrüstungen verbunden sind.
7. System nach Anspruch 6, **dadurch gekennzeichnet, dass** das Bezahlungsregister (H) mit dem lokalen Netz (A) verbunden ist.
8. System nach Anspruch 6 oder 7, **dadurch gekennzeichnet, dass** das Bezahlungsregister (H) zwischen dem öffentlichen Telekommunikationsnetz (B) und dem lokalen Netz (A) angeordnet ist.
9. System nach einem der Ansprüche 6-8 **dadurch gekennzeichnet, dass** das Bezahlungsregister so ausgebildet ist, dass es in einem Meldungsregister enthalten ist, das zwischen dem öffentlichen Telekommunikationsnetz und dem lokalen Netz angeordnet ist.
10. System nach einem der vorangehenden Ansprüche, **dadurch gekennzeichnet, dass** in Verbindung mit dem öffentlichen Telekommunikationsnetz (B) eine Textverwaltungsfunktion (D) angeordnet ist, um Textinformation zu/von den ersten Ausrüstungen zu verwalten.
11. System nach einem der vorangehenden Ansprüche, **dadurch gekennzeichnet, dass** das öffentliche Telekommunikationsnetz aus einem mobilen Telekommunikationssystem besteht.
12. System nach Anspruch 11, **dadurch gekennzeichnet, dass** das öffentliche Telekommunikationssystem aus einem digitalen Mobiltelefonnetz besteht.
13. System nach Anspruch 12, **dadurch gekennzeichnet, dass** das digitale mobile Telefonnetz aus einem GSM-Netz besteht.
14. System nach einem der vorangehenden Ansprüche, **dadurch gekennzeichnet, dass** das Bezahlungsregister (H) die Anzahl der Stempel oder Wertmarken, Ausstellungsdaten, Information über Zuordnung zu einer gewissen Person/Funktion und Gültigkeitszeiten enthält.
15. System nach einem der vorangehenden Ansprüche, **dadurch gekennzeichnet, dass** ein Schlüssel für jeden Stempel

oder jede Wertmarke einem Benutzer zugeordnet wird, wenn er/sie einen Stempel oder eine Wertmarke kauft, welcher Schlüssel durch den Benutzer verwendet wird, wenn er/sie die Stempel oder Wertmarken verwendet.

- 5 16. System nach einem der vorangehenden Ansprüche, **dadurch gekennzeichnet, dass** die ersten Ausrüstungen mit Anzeigen ausgerüstet sind, auf denen Meldungen in einem begrenzten Ausmaß erzeugt und empfangen werden können.
- 10 17. System nach einem der vorangehenden Ansprüche, **dadurch gekennzeichnet, dass** Stempel oder Wertmarken, die nicht benutzt werden, vollständig oder teilweise zurückbezahlt werden.

## Revendications

- 15 1. Système de communication comprenant des premiers équipements (abonné) agencés pour communication audio dans un premier sous-système (B), le dit premier sous-système (B) débitant les dits premiers équipements en correspondance de la communication à partir de ceux-ci, et des deuxièmes équipements (AN) agencés pour échange d'informations de texte dans un deuxième sous-système (A) sans être débités par le dit deuxième sous-système, un moyen de connexion (1) pour connecter sélectivement, lors d'une demande de connexion, les dits premiers équipements dans le dit premier sous-système (B) et les dits deuxièmes équipements dans le dit deuxième sous-système (A), **caractérisé en ce qu'**un mécanisme d'établissement d'intervalles de facturation est prévu pour attribuer un certain nombre d'intervalles de facturation aux dits premiers et deuxièmes équipements en échange d'un paiement correspondant pour le compte d'au moins un des dits premiers et deuxièmes équipements, les dits intervalles de facturation ayant un attribut pour affectation individuelle à un utilisateur, **en ce qu'**un registre de paiement (H) pour les utilisateurs du système de communication est prévu pour associer une demande de connexion au dit nombre d'intervalles facturés attribués aux équipements en question, et **en ce que** les dits premiers équipements sont prévus pour allouer, en connexion avec une communication avec un des dits deuxièmes équipements, un ou plusieurs tickets correspondant aux intervalles facturés aux dits deuxièmes équipements pour utilisation pour transmission d'une réponse au premier équipement.
- 20 2. Système selon la revendication 1, **caractérisé en ce que** les intervalles de facturation, appelés tickets, sont prévus pour être utilisés par l'utilisateur lors de l'utilisation des premiers ou des deuxièmes équipements.
- 25 3. Système selon la revendication 1 ou 2, **caractérisé en ce qu'**un utilisateur qui achète ou reçoit des tickets est affecté d'un code individuel pour obtenir les tickets.
- 30 4. Système selon une quelconque des revendications précédentes, **caractérisé en ce que** les dits tickets sont prévus pour utilisation seulement d'un certain équipement ou de certains équipements spécifiés.
- 35 5. Dispositif selon une quelconque des revendications précédentes, **caractérisé en ce que** les dits tickets ou certains tickets spécifiés parmi les dits tickets sont prévus pour communication avec un équipement / des équipements spécifiés.
- 40 6. Système selon la revendication 1, **caractérisé en ce que** le premier sous-système (B) est un réseau de télécommunication public, auquel les premiers équipements sont connectés, et le deuxième sous-système (A) est un réseau local auquel les deuxièmes équipements sont connectés.
- 45 7. Système selon la revendication 6, **caractérisé en ce que** le registre de paiement (H) est connecté au réseau local (A).
- 50 8. Dispositif selon la revendication 6 ou 7, **caractérisé en ce que** le registre de paiement (H) est agencé entre le réseau de télécommunication public (B) et le réseau local (A).
- 55 9. Système selon une quelconque des revendications 6 à 8, **caractérisé en ce que** le registre de paiement est agencé pour être inclus dans un registre de messages qui est disposé entre le réseau de télécommunication public et le réseau local.
10. Système selon une quelconque des revendications précédentes, **caractérisé en ce que**, en connexion avec le réseau de télécommunication public (B), une fonction de gestion de texte (D) est prévue pour gérer des informations de texte à destination / en provenance des premiers équipements.

11. Système selon une quelconque des revendications précédentes, **caractérisé en ce que** le réseau de télécommunication public consiste en un système de télécommunication mobile.

5 12. Système selon la revendication 11, **caractérisé en ce que** le système de communication public consiste en un réseau de téléphonie mobile numérique

13. Système selon la revendication 12, **caractérisé en ce que** le réseau de téléphonie mobile consiste en un réseau GSM.

10 14. Dispositif selon une quelconque des revendications précédentes, **caractérisé en ce que** le registre de paiement (4) contient le nombre des tickets, les dates d'émission, les informations concernant l'affectation à une personne / fonction, et les dates de validité.

15 15. Système selon une quelconque des revendications précédentes, **caractérisé en ce qu'**une touche pour chaque ticket est attribuée à un utilisateur lorsqu'il achète un ticket, cette touche étant utilisée par l'utilisateur lorsqu'il utilise les tickets.

20 16. Système selon une quelconque des revendications précédentes, **caractérisé en ce que** les premiers équipements sont équipés d'affichages sur lesquels des messages peuvent être créés et reçus dans une mesure limitée.

17. Système selon une quelconque des revendications précédentes, **caractérisé en ce que** les tickets qui ne sont pas utilisés sont remboursés complètement ou partiellement.

25

30




35

40

45

50

55






Fig. 4




Fig. 5

Stamp number	Date of issue	issued to	Time of validity	Others

Fig. 9




Fig. 6




Fig. 7




Fig. 8